




GOK

Lastverteilerplatte
bauseits



NG	SF [l]	DN/OD [mm]	D [mm]	L [mm]	H min - max [mm]	H1 min - max [mm]
4	400	110	1220	1800	1905 - 3040	825 - 1960
4	800	110	1200	2150	1905 - 3040	825 - 1960
7	700	160	1520	2381	2205 - 3340	875 - 2010
7	1400	160	1520	2750	2205 - 3340	875 - 2010
10	1000	160	1520	3106	2205 - 3340	875 - 2010
10	2000	160	1520	3676	2205 - 3340	875 - 2010
15	1500	200	1520	4285	2205 - 3340	925 - 2060
15	3000	200	1520	5185	2205 - 3340	925 - 2060
20	2000	200	1520	5477	2205 - 3340	925 - 2060
20	4000	200	1520	6727	2205 - 3340	925 - 2060
25	2500	200	1820	5659	2505 - 3640	985 - 2120
25	5000	200	1820	6759	2505 - 3640	985 - 2120
30	3000	250	1820	6618	2505 - 3640	985 - 2120
30	6000	250	1820	7938	2505 - 3640	985 - 2120
35	3500	250	2220	6226	2905 - 4040	1085 - 2220
35	7000	250	2220	7326	2905 - 4040	1085 - 2220
40	4000	315	2220	6877	2905 - 4040	1185 - 2320
40	8000	315	2220	8207	2905 - 4040	1185 - 2320

Material		Mass		 ACO GmbH Gewerbestr. 14 - 20 Tel.: 02252/22420-0 2500 Baden Fax: 02252/22420-33 www.aco.at / info@aco.at	
Tolerance		Tolerance for welding			
	Date	Name	Scale	Projection: ISO-E  The reproduction, distribution and utilization of this document as well as the communication of its contents to others without express authorization is prohibited.	
Created by	2024-09-17	mspoerk			
Reviewed by					
Update					
Fettabscheider ACO Lipumax G-H NS 4 - 40				Drawing NO.	Index
				List: 1 / 1	A3